

Uddeholm Vanadis 8 SuperClean Stock Standard

Flat bar

 Soft annealed/Unmachined

 Soft annealed/Rough machined

mm	12	15	18	22	28	35	38	41	43	50	54	63,5	67	76,2	80	90	100	102	127	152	153	160	200		
30		<input type="checkbox"/>																							
45					<input type="checkbox"/>																				
57			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>																	
69																									
86									<input type="checkbox"/>		<input type="checkbox"/>		<input type="checkbox"/>												
108	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>														
153												<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>						
166		<input type="checkbox"/>			<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>														
202																					<input checked="" type="checkbox"/>				
203												<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>					<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			
210				<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>														
250															<input checked="" type="checkbox"/>								<input checked="" type="checkbox"/>		
254												<input checked="" type="checkbox"/>							<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>			
260					<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>		<input type="checkbox"/>														
305																									
375							<input checked="" type="checkbox"/>			<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>							
400																									<input checked="" type="checkbox"/>
470																				<input checked="" type="checkbox"/>		<input checked="" type="checkbox"/>			
550										<input checked="" type="checkbox"/>								<input checked="" type="checkbox"/>							
615										<input checked="" type="checkbox"/>															

Uddeholm Vanadis 8 SuperClean Stock Standard

SQUARE BAR

Soft annealed/Unmachined □

Soft annealed/Rough machined ■

mm	100	153	200
	■	■	■

ROUND BAR

Soft annealed/Precision machined

Cold drawn fix length/Tolerance ISO h9

mm	5,3	6,3	8,3	10,3	13,3
	○	○	○	○	○

ROUND BAR

Soft annealed/Rough machined

mm	16	18	20	23,5	25,4	28	32	35	38	40	46	50,8	57,2	60	63,5
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	70	76,2	80	85	90	102	110	115	120	127	130	140	153	160	180	190
	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

mm	203	225	230	250	254	280	300	330	407	450
	●	●	●	●	●	●	●	●	●	●

Uddeholm Vanadis 8 SuperClean Stock Standard

PLATE

Width: 1,00-4,99 = 650 mm, 5,00-80,00 = 750 mm

Tolerance: -0/+200 mm

Length: random length mm

Soft annealed/Unmachined

Thickness, mm	4,56	6,5	9,2	13,2	16	21	28	34	40
	☐	☐	☐	☐	☐	☐	☐	☐	☐

PRE-MACHINED FLAT & SQUARE

Tolerances: Thickness: +0.4/+0.65 mm Width: +0.4/+0.80 mm

Length: 1030 mm

Width mm	Thickness mm							
	10	12	16	20	25	32	40	50
25					☐			
50	☐		☐		☐			☐
100	☐		☐	☐	☐	☐	☐	☐
160		☐			☐	☐	☐	☐
200					☐	☐	☐	☐
250					☐	☐		☐